



做最专业的不锈钢供水供气及消防管道制造商

Be the most professional manufacturer of stainless steel water supply,
gas supply and fire fighting pipes



做好不锈钢水管
是对绿色环保的最好行动

Make stainless steel pipe well
It is the best action for green environment



不锈钢沟槽式管材

沟槽式不锈钢管材						
公称口径 DN	100	125	150	200	250	300
管子外径X壁厚 (mm)	108*2.0	133*2.0-2.5	159*2.5-3.0	219*2.5-3.0	273*3.0-4.0	325*3.0-4.0

沟槽式异径对接	公称口径 DN	管子外径 (mm)
	125*100	133*108
	150*100	159*108
	200*100	219*108
	150*125	159*133
	200*125	219*133
	200*150	219*159
	250*125	273*133
	250*150	273*159
	250*200	273*219
	300*125	325*133
	300*150	325*159
	300*200	325*219
300*250	325*273	

沟槽式 90°弯头	公称口径 DN	管子外径 (mm)
	100	108
	125	133
	150	159
	200	219
	250	273
	300	325

沟槽式 45°弯头	公称口径 DN	管子外径 (mm)
	100	108
	125	133
	150	159
	200	219
	250	273
	300	325


沟槽式等径三通	公称口径 DN	管子外径 (mm)
	100	108
	125	133
	150	159
	200	219
	250	273
	300	325

不锈钢沟槽式管件

沟槽式异径三通	公称口径 DN	管子外径 (mm)
	125*100	133*108
	150*125	159*133
	200*125	219*133
	200*150	219*159
	250*125	273*133
	250*150	273*159
	250*200	273*219
	300*125	325*133
	300*150	325*159
	300*200	325*219
	300*250	325*273

沟槽卡压异径三通	公称口径 DN	管子外径 (mm)
	100*65	108*76.1
	125*65	133*76.1
	125*80	133*88.9
	125*100	133*108
	150*65	159*76.1
	150*80	159*88.9
	150*100	159*108
	200*65	219*76.1
	200*80	219*88.9
	200*100	219*108
	250*65	273*76.1
	250*80	273*88.9
	250*100	273*108
	300*100	325*108

沟槽卡压异径接头	公称口径 DN	管子外径 (mm)
	100*65	108*76.1
	125*65	133*76.1
	125*80	133*88.9
	125*100	133*108
	150*65	159*76.1
	150*80	159*88.9
	150*100	159*108
	200*65	219*76.1
	200*80	219*88.9
	200*100	219*108
	250*65	273*76.1
	250*80	273*88.9
	250*100	273*108
	300*100	325*108

沟槽法兰转换接头	公称口径 DN	管子外径 (mm)
	100	108
	125	133
	150	159
	200	219
	250	273
	300	325

卡箍	公称口径 DN	管子外径 (mm)
	100	108
	125	133
	150	159
	200	219
	250	273
	300	325

备注：以上表中管材、管件外径108mm为II系列产品尺寸；管材、管件外径101.6为I系列产品尺寸，也有生产。



NUTOP 螺通

NUTOP GUANGDONG LIFEENG TUBING

